







# PT SARANA PROTEK SOLUSINDO


Ruko WTC Serpong, Jl. Boulevard Serpong Village No 862  
Kel. Pondok Jagung, Serpong Utara – Tangerang Selatan

☎ 021-55692497 ✉ sales1@saranaprotek.com 🌐 www.sapro.id


Dengan Hormat,


Bersama ini kami dari PT. Sarana Protek Solusindo, perusahaan yang bergerak di bidang supplier alat keselamatan dan pemadam kebakaran bermaksud memberikan Informasi Daftar Harga sebagai berikut:

No	Picture	Product Name	Specifications	Certificate/ Standard	Price (Rp)	Disc (%)	Price After Discount (Rp)
<b>Fire Safety Cabinet (Lemari Safety Pemadam)</b>							
1		<b>Lemari APD/Safety Cabinet Plat Besi Besar 2 Pintu</b>  Size (P 120 x L 40 x T 180 cm)  Brand : SAPRO Model : SPO-0590-01	<ol style="list-style-type: none"><li>1. Size: P x L x T ( 120 x 40 x 180 cm)</li><li>2. Material : Mild Steel Plate (Plat besi)</li><li>3. Finishing warna : coating powder cat merah</li><li>4. Dilengkapi 2 buah pintu kaca, 2 buah kunci, 2 buah handle, 4 buah roda double ball bearing diameter 4 inch disertai fungsi rem yang dilas ke kerangka besi bawah</li><li>5. Terdapat tiang gantungan untuk baju pemadam, rompi safety, dll</li><li>6. Terdapat 3 buah sekat</li><li>7. Bonus palu pemecah kaca</li><li>8. Bonus 3 buah gantungan baju tebal</li></ol>		10,000,000	15	8,500,000
<b>Fireman Suits (Baju Anti Panas) &amp; Fireman Aluminium Suit (Baju Aluminium Anti Api)</b>							
1		<b>Fireman Suit (Jacket and Trouser)</b>  Brand : ENDLESSAFE Model: ES-FM-ST-4L	<ol style="list-style-type: none"><li>1. Structure: 4 Layers</li><li>2. Outlayer: Oil Resistant flame retardant cotton satin</li><li>3. Thermal barrier layer: 250gr thermal insulation cotton</li><li>4. Lining layer: camlet</li><li>5. Flame Retardant Property: Damaged length&lt;100mm, after flame times2s</li><li>6. Fabric strength: tearing strength≥40N, breaking strength≥600N</li><li>7. Detachable type</li><li>8. Weight: 3.2 kg</li><li>9. Color: Orange</li><li>10. Size: S, M, L, XL, XXL, XXXL</li></ol>	Sertifikat Laporan Hasil Uji Lab (LHU) Damkar	3,600,000	15	3,060,000
2		<b>Fireman Suit (Jacket and Trouser)</b>  Brand : JJXF Model: ZFMH-JX D(DRD)	<ol style="list-style-type: none"><li>1. Outer fabric: Nomex IIIA 6oz (93% Nomex, 5% Kevlar, 2% P140, 205g/m<sup>2</sup>, ripstop)</li><li>2. Moisture Barrier: Aramid nonwoven + PTFE 108g/m<sup>2</sup></li><li>3. Lining: 80% Nomex / 20% Kevlar thermal felt (75 g/m<sup>2</sup>) quilted to 50% Nomex / 50% Lenzing FR</li><li>4. Anti-Wicking: R45 Nomex + Chlorophene Rubber Coating (450g/m<sup>2</sup>)</li><li>5. Elbow &amp; KNees protection fabric: Kevlar with black flame retardant PU coating 360 g/m<sup>2</sup></li><li>6. Accessories Material: 3M scotchlite reflective stripe, metal zipper, flame retardant velcros, aramid thread</li><li>7. DRD (Drag Recue Device)</li><li>8. Color: Khaki</li><li>9. Size: S, M, L, XL, XXL, XXXL</li></ol>	CE/EN469 (Standard Eropa)  Fire test report (from BTTG UK)  Sertifikat Laporan Hasil Uji Lab Damkar	10,000,000	15	8,500,000
3		<b>Aluminium foil heat insulation suit</b>  Brand: JJXF Model: RGF-F1	<p>Materials</p> <ul style="list-style-type: none"><li>- Outer layer: Kevlar + aluminium coated</li><li>- Thermal layer: aramid retardant insulation felt 170g/m<sup>2</sup></li><li>- Comfortable layer: lining natural cotton</li></ul> <p>Features:</p> <ul style="list-style-type: none"><li>Anti-heat, radiaion proof, waterproof</li></ul> <p>Accessories: Hood, Jacket, SCBA Backpack, pants, gloves, shoes cover</p> <p>Heat Resistant: 1000-degree Celsius radiation</p> <p>Application: Work protection in smelting, glass, enamel, thermoelectric, industries and firefighting</p> <p>Color: Silver</p> <p>Certificate &amp; Standard: CE EN1486:2007 c/w Test Report</p> <p>TPP Value: 35.0cal/cm<sup>2</sup></p> <p>Size chart: S: 160-165cm; M: 165-175cm; L: 175-185cm; XL: 185-195cm</p> <p>Weight: ±4,2kg</p> <p>Size Option: S, M, L, XL, XXL</p>	CE/EN 1486 (Standard Eropa) c/w Fire test report	11,200,000	15	9,520,000


4		<b>Aluminium foil heat insulation suit</b>  <b>Brand: JIANGBO</b> <b>Model: DTXF-93-I</b>	Model: DTXF-93-I Type: For Ship Material: Acrylic fiber and aluminium foil without any asbestos Weight: 7kg Heat Radiation Resistance: Under the heat radiation with 10kw/m <sup>2</sup> The increase of temperature: on inner-surface not over than 25°C after irradiate 30 seconds. Hydraulic pressure (static): ≥40000Pa Compositon: Coat; Helmet; Hood; Pant; Shoe;Boots Covering	CCS/SOLAS	4,450,000	15	3,782,500
---	---	--	--	-----------	-----------	----	-----------


**Fireman Gloves**


1		<b>Fireman Gloves</b>  <b>Brand: JJXF</b> <b>Model: JJXF-ST-2</b>	1. Structure 4 layers Outer layer: Nomex blended fabric Waterproof layer: TPU low permeability Milky white waterproof bag Heat insulation layer: Aramid mats Inner layer: cotton 2. TPP≥25.1cal/cm <sup>2</sup> 3. Wear-resisting propert: palm is over 2500N and back is over 2500N 4. Cutting force: palm ≥4 (15.0N) ≥ 4.0N (15.0N), back 5. Tear force: palm ≥ 100N (178.2N) 6. Reflective tape: 360° reflective logo and width not less than 50mm belt.  Color option: Khaki and Navy Blue Size: S, M, L, XL, XXL	CE / EN659 (Standard Eropa) c/w Fire Test Report  Sertifikat Laporan Hasil Uji Lab Damkar	580,000	15	493,000
---	---	--	---	--	---------	----	---------

2		<b>Long Leather Fireman Gloves</b>  <b>Brand: ABEN-FIRE</b> <b>Model: AB-ST-02</b>	1. Materials: cowhide leather 2 layers 2. Moistur barrier: TPU low permeability 3. Anti-static lining, knitted threaded mouth (comforable fit) 4. Waterproof and steamproof wearable heat resistant 5. Features: Waterproof and streamproof 6. Wearable Heat resistant 7. There are hook easy carrying 8. 5cm reflective strip, eye cathing 9. Color, Black 10. Length: 40cm 11. 350gr  Size: All Size	CE / EN659 (Standard Eropa) c/w Fire Test Report	700,000	15	595,000
---	---	---	--	--	---------	----	---------


**Fireman Boot**








1		<b>Fireman Boot</b>  <b>Brand: JJXF</b> <b>Model: RJX25A</b>	1. Material: Polythene Rubber, steel toe, steel midsole 2. Oil resistant property: upper 9.5% side 9.8%, bottom 5.8% 3. Anti drop performance: static pressure 21mm; impact 25.5 mm 4. Puncture resistance: 1825N 5. Electrical insulation: Withstand voltage:5000V 6. Thermal Insulation preformance: 4°C 7. Anti slip: >15o 8. Weight: 2.4 kg  Size 38-46	CE / EN 15090 (Standard Eropa) c/w Fire Test Report  Sertifikat Laporan Hasil Uji (LHU) Lab Damkar	1,200,000	15	1,020,000
---	---	---	--	--	-----------	----	-----------

2		<b>Fireman Boot</b>  <b>Brand: Harvik</b> <b>Model: 9687L</b>	Flame retardant rubber outsole. Fuel oil resistant sole suitable for inimical environment. Slip resistant vulcanized rubber outsole. Non-corrosive stainless steel. Epoxy coated toe caps. High visibility with black and yellow contrast. Waterproof. Reinforced rubber. Meets EN ISO 25345 impact and compression tests.	CE / EN 15090  Sertifikat Laporan Hasil Uji (LHU) Lab Damkar	1,623,500	15	1,380,000
---	---	--	--	--	-----------	----	-----------





3		<b>Fireman Boot</b>  <b>Brand: FireFighter / HARMIT</b>	Flame retardant rubber outsole. Fuel oil resistant sole suitable for inimical environment. Slip resistant vulcanized rubber outsole. Non-corrosive stainless steel. Epoxy coated toe caps. High visibility with black and yellow contrast. Waterproof. Reinforced rubber. Meets EN ISO 25345 impact and compression tests.		665,000	15	566,000
---	--	---	--	--	---------	----	---------

**Fireman Helmet**

1		<b>Fireman Helmet</b> <b>Brand: Bullard</b>  <b>Model: LTX</b>	M-PACT Shell with SmartRidge design High-heat thermoplastic outer shell Comfortable Sure-Lock® ratchet headband Balanced 4-point nylon crown straps and crown pad Nomex® chinstrap with quick-release buckle and postman's slide fastener Rip-stop Nomex® ear/neck protector Leather ratchet cover Removable fire-resistant, absorbent cotton brow pad Quick-Attach faceshield or goggle system 12 comfort settings Scotchlite® reflective markings Certified to NFPA 1971-2013 standard	NFPA 1971-2013	6,000,000	15	5,100,000
---	--	---	---	----------------	-----------	----	-----------

Emergency Escaped Breathing Device (EEBD) & Self Contained Breathing Apparatus (SCBA)							
1		<b>Emergency Escape Breathing Device (EEBD)</b>  <b>Brand:</b> FANGZHAN <b>Model:</b> TH/15-1	<b>Spesifikasi:</b> Working Pressure of the Cylinder: 21MPa (210 Bar) Cylinder Volume: 3L Air Deposit: 625 L Using Time: > 15 menit (25L/Min) Weight: <7,5 kg  <b>Kelengkapan:</b> - HEAD COVER - STEEL CYLINDER 3 LITER - PRESSURE GAUGE-METER INDICATOR for EEBD) - RUBBER HOSE - BAG CASE/ SATCHEL ASSEMBLY	MED/3.41 EN1146 ISO 23269-1 CSS/SOLAS 74	3,500,000	15	2,975,000
2		<b>Breathing Apparatus (SCBA) - Composite Cylinder 6,8 Liter</b>  <b>Brand:</b> Dräger <b>Model:</b> PSS3000	The Dräger PSS® 3000 is a high performing breathing apparatus for firefighters. Combining comfort with exceptional pneumatic performance, it is designed for applications where simplicity and ease of use are key essentials. Lightweight yet robust, and easy to don, this advanced breathing apparatus provides dependable breathing protection.  <b>Components:</b> 1. PSS 3000 Backplate c/w Lung Demand Valve (LDV) and EVA Padded harness with Aramid webbing 2. Carbon Composite Cylinder 6.8 L 300 Bar Pressure Completely with EFV Valve for protection and pressure gauge (to monitor the pressure inside the cylinder) 3. FPS 7000 Facemask with 5-point harness with a large contact surface area at the back of the head 4. SCBA Box: Hard case plastic moulding	CE / EN 137 (Standard Eropa)	35,295,000	15	30,000,000
Axe (Kampak)							
1		<b>Fire Axe/Kapak Damkar 25 cm</b>  <b>Model:</b> ES-FM-AXE-25i	2 Mata Panjang 25cm Gagang Karet Import		150,000	15	127,500
2		<b>Kapak Damkar/Fire Axe 60 cm Wood Handle</b>  <b>Brand:</b> ENDLESSSAFE <b>Model:</b> ES-FM-AXE-60i	Type: Double Head Panjang 60cm Gagang Kayu Import		350,000	15	297,500
3		<b>Kapak Damkar/Fire Axe 90 cm Wood Handle</b>  <b>Brand:</b> ENDLESSSAFE <b>Model:</b> ES-FM-AXE-90i	Type: Double Head Panjang 90cm Gagang Kayu Import		350,000	15	297,500
Peralatan Emergency & Rescue Lainnya							
1		<b>RESCUE TRIPOD</b>  <b>Brand:</b> KAEN <b>Model:</b> JSJ-S	Working load (winch): 200 kg Blocking force (winch): 22kN Fully expanded: 222cm Complete Contraction: 141cm Max lifting weight: 1600N Material: High strength aluminium alloy Steel cble (winch): 20m Gear Ratio (winch): 5:1 Blocking force: 500kg Packing Size: 176x28x25 cm Weight: ≤31 kg	CE EN 360:2002 CE EN 363:2008	10,590,000	15	9,000,000
2		<b>Safety Hammer / Emergency Window Glass Breaking</b>  <b>Brand:</b> ENDLESSSAFE	<b>Specification:</b> Color: Red Weight: 175gr Material: ABS and Steel  <b>Features:</b> Safety device used in vehicles or buildings to break through window glass in an emergency.		100,000	15	85,000

**Eye Wash**

1		<p><b>Emergency Eye Wash Portable 30L (8 gallons)</b></p> <p><b>Brand: UNICARE</b> <b>Model: RYBX003</b></p>	<p>Portable eyewash stations act as a first aid station for emergency use when a person is exposed to harmful and corrosive materials or chemicals in the eyes. Access to such equipment offers a chance to rinse away the harmful substance, can minimizing the injury that could result from the exposure.</p> <p>Product size: L 55cm x W 25cm x H 36cm Net Weight: 3.5kg Material: New non-toxic polyethylene Design and Manufacturing Standards: ANSI Z358.1-2014 / CE EN 15154 Volume: 8 Gallons (30Liters) Use time: ≥15 min Flow rat2: ≥ 1.5 L/min Color: Green and Yellow Usage: Petroleum, Chemical, Laboratory, Medical, etc. Accessories: 1 pcs x wall-mount hanger 2 pcs x Dynabolts</p>	CE EN-15154	2,700,000	15	2,295,000
2		<p><b>Emergency Eye Wash Portable 60L (16 gallons)</b></p> <p><b>Brand: UNICARE</b> <b>Model: BTBG60-2</b></p>	<p>Portable eyewash stations act as a first aid station for emergency use when a person is exposed to harmful and corrosive materials or chemicals in the eyes. Access to such equipment offers a chance to rinse away the harmful substance, can minimizing the injury that could result from the exposure.</p> <p>Product size: 54 x 49 x 54 cm Packing size: 56 x 48 x 63 cm Material: New non-toxix polyethylene (PE) Rated Capacity: 16 Gallons (30 Liters) Use time: ≥ 15min Flow rate: 2 Liters / minutes Working Temperature: 0° - 40° Accessories: 1 pcs x wall-mount hanger and 2 pcs x Dynabolts Design and Manufacturing Standards: ANSI Z358.1-2014 / CE EN 15154 Application media: - Pour 60L of pure water into the bucket, shall replaced every 7 days. - or pour 200ml preservative of clean water into the bucket, and then pour 60L pure water into the bucket, shall be replaced every 120 days.</p>	CE EN-15155	6,000,000	15	5,100,000
3		<p><b>Emergency Eye Wash Wall Mounted Elbow</b></p> <p><b>Brand: UNICARE</b> <b>Model: RYBG001</b></p>	<p>Material: Stainless Steel 304/SS304 Function: Eye and face rinse Nominal pressure: 1.0 Mpa Work pressure: 0.2-0.4 Mpa Test pressure: 2.0 Mpa Use ambient temprature: 0-40°C Washing Water Flow: 11.4 L/Min Eyewash flow: 1.5L/min Inlet size: 1/2 inch internal thread Drainage outlet size: 1-1/4 inch</p>	CE EN-15159	1,700,000	15	1,445,000
4		<p><b>Emergency Eye Wash Standing and Shower</b></p> <p><b>Brand: UNICARE</b> <b>Model: RYFH002</b></p>	<p>Material: Stainless Steel 304/SS304 Function: Spray + Eyewash Top Spray: Rotary Ball Valve: Two-piece Ball Valve Dust-proof: integrated fixed type Eye wash basin: 300 mm straight edge design Running water diameter: 42 mm Nominal pressure: 1.0 Mpa Work pressure: 0.2 - 0.4 Mpa Test pressure: 2.0 Mpa Use ambient temprature: 0-40° C Spray water flow: &gt;75.7L/min eye/Face Washing Water Flow:&gt;11.4L/min Eyewash flow: &gt;1.5 L/min Eyewash nozzle: equipped with dual flow control valve Influent height 1440 mm Drainage height: 101 mm Drainage outlet size: 1-1/4 inch internal thread foot pedal: stepping on stable and easy to operate</p>	CE EN-15161	5,750,000	15	4,887,500

**Keterangan :**

- Harga Belum Termasuk PPN 11%

- Harga bisa berubah sewaktu-waktu, mohon untuk konfirmasi stock dan harga sebelum melakukan order

