



PT SARANA PROTEK SOLUSINDO



Ruko WTC Serpong, Jl. Boulevard Serpong Village No 862
Kel. Pondok Jagung, Serpong Utara – Tangerang Selatan

☎ 021-55692497 ✉ sales1@saranaprotek.com 🌐 www.sapro.id

Dengan Hormat,

Bersama ini kami dari PT. Sarana Protek Solusindo, perusahaan yang bergerak di bidang supplier alat keselamatan dan pemadam kebakaran bermaksud memberikan Informasi Daftar Harga sebagai berikut:



No	Picture	Product Name	Specifications	Price (Rp)	Disc (%)	Price After Discount (Rp)
Head Protection						
1		Helm MSA V-Gard Hard Hat Cap Style with Fastrac III Brand: MSA	Material: Polyethylene (PE) Standard: ANSI/ISEA Z89.1-2014, CSA Z94.1-2005 Classification: Type I, Class E, Class G Suspension: Fastrac III Accessories slot: Yes Vented : No	306,000	15	260,000
			Custom Logo Perusahaan	377,000	15	320,000
2		Helm MSA V-Gard Hard Hat Fullbrim Style with Fastrac III Brand: MSA	Material: Polyethylene (PE) Standard: ANSI/ISEA Z89.1-2014, CSA Z94.1-2015 Classification: Type I, Class E, Class G Suspension: Fastrac III Accessories slot: Yes Vented : No	448,000	15	380,000
			Custom Logo Perusahaan	500,000	15	425,000
3		Helm Bullard Hard Hat S-61 with Flexgen Ratchet Brand: Bullard	Material: High Density Polyethylene (HDPE) Standard: ANSI/ISEA Z89.1-2014 Type and Class: Type I, Class E and G Suspension: FlexGen Ratchet Accessories slot: Yes Vented: No Weight: 340gr Warranty: 2 years	283,000	15	240,000
			Custom Logo Perusahaan	353,000	15	300,000
4		Helm Safety Bullard Aboveview with Flexgen Ratchet Brand: Bullard	Material: High Density Polyethylene (HDPE) Standard: ANSI/ISEA Z89.1-2014 Type and Class: Type I, Class E and G Suspension: FlexGen Ratchet Accessories slot: Yes Replaceable Brim Visor: Clear/Grey/Yellow Vented: No Weight: 448gr Warranty: 2 years	495,000	15	420,000
			Custom Logo Perusahaan	542,000	15	460,000
5		Skylotec Inceptor GRX High Voltage BE-392 Brand: Skylotec	Material : Material Polycarbonat, Acrylnitril-Butadien-Styrol, Expanded Polystyrene Include Chinstrap Art No: BE-392 Standard: EN 397:2012, EN 50365:2002 1000V A. C. E-Class Number: 40-01-11-01 Max Service Life: 10 Years Weight: 430gr	1,589,000	15	1,350,000
6		Chinstrap MSA 2 Point Elastic Green	Material: Elastis gravir logo MSA warna hijau 2 titik pemasangan pada shell helm Non-metal hook Ukuran yang bisa disesuaikan Made in China	37,000	15	31,000
7		Chinstrap MSA 4 Point Elastic Green	Material: Elastis gravir logo MSA warna hijau 4 titik pemasangan (diselipkan di suspender) Gesper plastik tebal, tidak mudah lepas Ukuran yang bisa disesuaikan Made in China	52,000	15	43,500




8		Chinstrap Bullard 2 Point Elastic Black	Material: Elastis gravir logo Bullard warna hitam 2 titik pemasangan pada shell helm Non-metal hook Ukuran yang bisa disesuaikan	30,000	15	25,000
9		Chinstrap Sapro 4 Point	Material: Pollyester 4 titik pemasangan (diselipkan pada suspender) Gesper plastik tebal, tidak mudah lepas Penyangga dagu kulit yang nyaman Ukuran yang bisa disesuaikan Made in China Art No. SPH-0088-01	39,000	15	33,000

Eye Protection

1		Safety Glasses Sapro Husky Series Brand: Sapro	Material: Polikarbonat Anti scratch Anti Fog Approval ANSI Z87.1 Lensa lebar Lensa: Clear, Smoke Art No. SPY-0015	48,000	15	40,000
2		Safety Glasses Sapro Owl Series Brand: Sapro	Material: Polikarbonat Anti scratch Anti Fog Approval ANSI Z87.1 Sporty look Lensa: Clear, Smoke Art No. SPY-0016	53,000	15	45,000
3		Safety Glasses Sapro Eagle Series Brand: Sapro	Material: Polikarbonat Anti scratch Anti Fog Approval ANSI Z87.1 Sporty look Soft Nose pad Lensa: Clear, Smoke, Mirror Art No. SPY-0017	65,000	15	55,000
4		Safety Goggle Smoke Lens Brand: Sapro	Material: Polikarbonat Anti Fog Anti UV Approval ANSI Z87.1 Pad Silicon Tali Bisa disesuaikan Lensa: Smoke	36,000	15	30,000
5		Safety Goggle Clear Lens Brand: Sapro	Material: Polikarbonat Anti Fog Frame Silicon Tali Bisa disesuaikan Approval ANSI Z87.1 Lensa: Clear Art No. SPY-0005-1	42,000	15	35,000
6		Safety Glasses Bullard SE4 Sporty Brand: Bullard	Material: Polycarbonate+TPE Personalized Fit: Adjustable length and angle Ultra comfort Safety-driven Design Metal Free Hinges Lensa: Clear, Smoke Approval ANSI Z87.1	159,000	15	135,000

Ear Protection


1		3M Earplug 1271 Brand: 3M	Material: Polymer Bentuk: Multi-Flange Size: All Size Standar: AS / NZS 1270: 2002 NRR 24dB	32,000	15	27,000
2		3M Ultrafit Corded Earplug 340-4002 Brand: 3M	Material: Elastomeric Polymer Cord Material: Vinyl Bentuk: Flanged Size: All Size Standar: CSA Class AL NRR 25dB	23,000	15	19,000

3		Earplug Sapro Corded with box Brand: Sapro	Material: Silicone Cord Material: Vinyl Bentuk: Multi Flanged Size: All Size NRR 29dB	12,000	15	10,000
4		3M Peltor H10P3E Optime 105 Brand: 3M	Hearing Protection Style: Hard Hat Attached Metal Detectable: No Shape: Earmuffs CSA Class: CSA Class AL Material: ABS Noise Reduction Rating (NRR): 27dB	677,000	15	575,000
5		Earmuff Protector EM 54 Brand: Protector	Class 4 Cap attachable Earmuff 25mm post allow fitting to most safety cap SLC80 = 24dB Standards: AS/NZS 1270 (AUSTRALIAN STANDARD)	448,000	15	380,000


Hand Protection

1		Safety Glove Cotton with Latex anti Cut Brand: Sapro	Bahan: Katun Coating: Latex Anti Slip Size: All Size Standard: EN388:2003 Mechanical Art No. SPG-0053-01	11,000	15	9,000
2		Safety Glove Cut Resistant Lv 1 Nitrile Palm Brand: Sapro	Bahan: Nylon Coating: Nitrile Anti Cut Lv 1 Size: All Size Standard: EN388:4131 Art No. SPG-0052-01	16,000	15	13,000
3		Blue Leather Welding Glove Double Palm Brand: Sapro	Material: Split Premium Cowhide Golden Palm and Kevlar Stitched Lining Material: Cotton Standard: EN407, EN423X, EN388 Good for welding and Blasting Art No. SPG-0050-01	68,000	15	57,000
4		Full Leather Argon Glove Brand: Sapro	Material: Cow Grain Leather Resist cut and abrasions Standard: EN388:4143 Good for argon welding Art No. SPG-0051-01	89,000	15	75,000
5		Novax Rubber Insulating Glove Class 00 Brand: Novax	Material: Latex AC Max Use Voltage : 500V AC Proof Test: 2.500V DC Max Use Voltage: 750V DC Proof Test: 10.000V Standard: EN60903 Straight Cuff Size: 8-12	659,000	15	560,000
6		Novax Rubber Insulating Glove Class 0 Brand: Novax	Material: Latex AC Max Use Voltage : 1.000V AC Proof Test: 5.000V DC Max Use Voltage: 1.500V DC Proof Test: 20.000V Standard: EN60903 Straight Cuff Size: 8-12	912,000	15	775,000
7		Novax Rubber Insulating Glove Class 2 Brand: Novax	Material: Latex AC Max Use Voltage : 17.000V AC Proof Test: 20.000V DC Max Use Voltage: 25.500V DC Proof Test: 50.000V Standard: EN60903 Straight Cuff Size: 9-12	1,295,000	15	1,100,000




8		Traffi Glove TG1080 Chemic Cut Lv 1 Cemical Resistant Brand: Traffi	Pair of long chemical resistant gloves Ideal for lab or agricultural work Offers high abrasion and tear resistance Standard: EN388, EN374 Size: 6-11	250,000	15	213,000
9		Traffi Glove TG1060 Waterproof Nitrile Anti Cut Brand: Traffi	A flexible, highly comfortable double dip X-Dura Nitrile waterproof glove with an extended cuff providing a secure fit and additional cut protection. Standard: EN338 Size 7-12	212,000	15	180,000
10		Traffi Glove TG5240 Microdex Nitrile LXT Cut Lv C Brand: Traffi	Extra cut protection and a soft luxurious feel MicroDex coating provides great oil resistance and grip Hot contact resistance up to 100°C Reinforced thumb crotch for enhanced longevity Dexterous, highly tactile, and breathable Carbon neutral EN388: 2016 and ASTM ANSI	148,000	15	125,000
11		Ansell Alphatec Solvex 37-176 Nitrile Chemical Gloves Brand: Ansell	Lapisan katun, mengurangi keringat bagi pemakainya Dapat digunakan kembali sepenuhnya, dengan ketahanan tak tertandingi terhadap kikisan Telah Disetujui untuk makanan Bahan Pelapis Nitrile Standard: EN ISO 21420:2020	35,000	15	29,000
12		Ansell Alphatec 29-865 Neoprene Brand: Ansell	Case-hardened design: Chemical and abrasion resistance Smooth sandpatch finish: For confident delicate component handling Cotton flocking: Enhanced comfort levels Coating Material Neoprene Standard: EN ISO 21420:2020	59,000	15	50,000
13		Ansell Touchntuff 92-600 Disposable Nitrile Glove Brand: Ansell	Sarung tangan sekali pakai terbaik di dunia untuk perlindungan percikan kimia Campuran nitril yang lembut memberikan tingkat kenyamanan yang tinggi Desain kokoh untuk ketahanan prima Bebas silikon untuk perlindungan produk Standard: EN ISO 21420:2020 1 box isi 100pcs	306,000	15	260,000
14		Ringers Glove Roughneck Anti Impact Brand: Ringers Gloves	Perlindungan benturan TPR di bagian atas tangan dan seluruh jari Sistem pegangan KevLoc pada telapak tangan & jari meningkatkan cengkeraman Penutupan pergelangan tangan airprene yang diperpanjang Warna visibilitas tinggi untuk meningkatkan keamanan Standard EN 388:2016 4343XP	295,000	15	250,000
		KONG Standard Impact Glove SDX 2 Brand: Ironclad	Double Layer Synthetic Leather Dotted Palm Breathable Nylon Back of Hand Patented KONG® Impact Protection EN 388 RATING:4242AP ANSI CUT RATING:A2 ANSI CUT GRAMS:595g PALM MATERIAL:Synthetic Leather with Dots 100% machine washable : hang dry	342,000	15	290,000
15		Uvex Synexo Impact Brand: Uvex	padding in the palm area, protectors on the back of the hand flexible velcro fastening very good abrasion resistance very good tear resistance certified in line with EN 388:2016	412,000	15	350,000

16		Clip Glove	Untuk menjept sarung tangan ketika sedang tidak digunakan Bahan Plastik tebal Jepitan ganda kecil dan besar Jepitan kuat sehingga sarung tangan tidak mudah terlepas Warna: Hitam, merah, biru, kuning, orange, hijau	16,000	15	13,000
----	---	------------	---	--------	----	--------

Respiratory Protection




1		3M 8210 Disposable Mask N-95 Brand: 3M	NIOSH approved for at least 95 percent filtration efficiency against certain non-oil based particles Two-strap design with welded dual point attachment helps provide a secure seal Adjustable noseclip helps provide a custom fit and secure seal Cushioning nose foam 1 box 20 pcs	306,000	15	260,000
2		3M 6200 Halfmask Double Cartridge Brand: 3M	NIOSH approved for negative pressure air purifying and supplied air dual airline applications combines comfort and convenience Can be disassembled, cleaned and reused Comfortable soft, lightweight facepiece with easy-to-adjust head straps Material: Thermoplastic Elastomer (TPE) Connection Type: Bayonet	224,000	15	190,000
3		3M 6800 Full Facepiece Reusable Respirator Brand: 3M	Lightweight well-balanced design and silicone face seal for enhanced comfort, durability and ease of cleaning Large lens provides a wide field of view for excellent visibility Center adapter directs exhaled breath downward Available in air-purifying and supplied air respirator modes Material: Silicone, Thermoplastic Elastomer (TPE) Connection Type: Bayonet Suspension Type: 4 Point Strap	1,530,000	15	1,300,000
4		3M Organic Vapor/Acid Gas Cartridge 6003 Brand: 3M	Swept-back design for enhanced field of view and balance Bayonet compatibility allows use with many 3M™ half and full facepieces and certain 3M™ Scott™ full facepieces Simple installation and usage requirements reduce training needs For workplace/occupational use only	195,000	15	165,000




Foot Protection

1		Rubber Boots With Steel Toe Cap Brand: Sapro	Material: PVC Sol anti slip Color: Yellow Reflective Stripe: Yes Steel Toe Cap: Yes Size: 39-46 Art No. SPS-0054-01	130,000	15	110,000
2		Rubber Boots With Steel Toe Cap and Mid Sole Plate Brand: Sapro	Material: PVC Sol anti slip Color: Yellow Reflective Stripe: Yes Steel Toe Cap: Yes Mid Sole Plate : Yes Size: 39-46 Art No. SPS-0054M-02	200,000	15	170,000
3		Inyati Wayne 1378 Gumboot Safety Shoes with Steel Toe Cap Brand: Inyati	Material: PVC, Nitrile Sol anti-slip Color: Yellow Steel Toe Cap Standard : ISO20345 : 2007	600,000	15	510,000

4		<p>Sepatu Safety Cheetah 7288C</p> <p>Brand: Cheetah</p>	<p>Bahan berkualitas tinggi Steel Toe Cap untuk keamanan dalam bekerja. Bahan lining sol sangat ringan, empuk dan nyaman di kaki. Oil Resistant Slip Resistant Antistatic EN ISO 20345 Size: 7-12</p>	516,000	15	438,000
5		<p>Sepatu Safety Cheetah 7001H</p> <p>Brand: Cheetah</p>	<p>Low cut slip on shoes Ringan dan lentur Outsole empuk untuk kenyamanan maksima Tapak gerigi untuk cengkraman kuat Antistatis Steel toe Bagian upper dari kulit asli Size 7-12</p>	475,000	15	404,000
6		<p>Sepatu Safety Cheetah ADV "Pardus" 6110 C</p> <p>Brand: Cheetah</p>	<p>Sepatu ankle boots yang dilengkapi sisi elastis Sol Luar Rebound² Sol luar PU Kepadatan Ganda Slip & Tahan Minyak Midsole tahan paku Solegard™ S3 Antistatis Penutup kaki komposit Bagian atas dari kulit asli premium Airgo™ PU Comfort Insole Size 7-12</p>	850,000	15	723,000
7		<p>Sepatu Safety Cheetah ADV "Nyx" 6012 C</p> <p>Brand: Cheetah</p>	<p>Sepatu safety low-cut dengan sistem Quick Lace™ Sol Luar Rebound² Sol luar PU Kepadatan Ganda Slip & Tahan Minyak Sistem Quicklace™ Midsole tahan paku Solegard™ S3 Antistatis Penutup kaki komposit Bagian atas dari kulit asli premium Airgo™ PU Comfort Insole Size 7-12</p>	850,000	15	723,000
8		<p>Sepatu Safety Cheetah ADV "Jubatus" 6112</p> <p>Brand: Cheetah</p>	<p>Sepatu ankle boots dengan sistem Quick Lace™ untuk penyesuaian instan yang pas dan presisi. Sol Luar Rebound² Sol luar PU Kepadatan Ganda Slip & Tahan Minyak Sistem Quicklace™ Midsole tahan paku Solegard™ S3 Antistatis Penutup kaki komposit Bagian atas dari kulit asli premium Airgo™ PU Comfort Insole Warna : Brown, Forest, Sand</p>	1,100,000	15	935,000

Protective Apparel

1		<p>Safety Rain Suit</p> <p>Brand: Sapro</p>	<p>Material: PVC 0.35mm, Pollyester Zipper, studs Color: Yellow Reflective Stirpes: 5cm width on jacket and pants Size: M, L, XL Art. No SPP-0041</p>	118,000	15	100,000
2		<p>Safety Vest with Zipper and Pockets</p> <p>Brand: Sapro</p>	<p>Material: Knitted Fabric, 100% Pollyester 5cm Reflective Stripe Feature: Zipper and 4 Pockets Size: All Size Color: Orange, Green Standard: Meet EN471</p>	53,000	15	45,000
3		<p>Safety Vest Jaring model "V"</p> <p>Brand: Sapro</p>	<p>Material: Mesh Fabric, 100% Pollyester Reflective Stripe 3 Point Velcro Size: All Size Color: Orange Standard: Meet EN471</p>	36,000	15	30,000

4		<p>Back Support Belt VPRO BS 311</p> <p>Brand: VPRO</p>	<p>Easy adjustable outer elastic panel for added lower back support Comfort and ergonomically design Dark blue Size S,M,L,XL Made in China</p>	130,000	15	110,000
5		<p>Work Vest Life Jacket Stearn 1223</p> <p>Brand: Stearns</p>	<p>Rugged work vest for all-around industrial use. Aquafoam™ flotation foam retains buoyancy Heavy-duty construction Encircling belts with snag resistant buckles Uses 3M™ Scotchlite™ Reflective Material SOLAS-grade 3150-A PS with adhesive backing on panels Self extinguishing under ASTM1692-74 USCG Approved Type V 17-1/2 lb. buoyancy</p>	2,000,000	15	1,700,000
6		<p>Alpha Inflatable Lifejacket 170N</p> <p>Brand: Lalizas</p>	<p>Certified per ISO 12402-3 Certified per ISO 12401 on all integral black harnesses Auto & manual version Compact design, low weight and high-quality construction Ideal for the coastal and inshore yachtsmen Ultra reliable firing mechanism Commercial heavy-duty protective outer cover Easy re-packing</p>	2,195,000	15	1,865,000


Fall Protection

1		<p>Body Harness With Double Lanyard Absorber and Tool Bag</p> <p>Brand: Sapro</p>	<p>Material: Polyester webbing 50 mm Dorsal attachment point 2 snap hook Double lanyard with absorber 1,8 m Size: Universal Tool Bag Max Service Life: 10 Years Standard CE EN361 Art No. SPF-0029-01</p>	471,000	15	400,000
2		<p>Body Harness Skylotec CS 2 Lightest Harness</p> <p>Brand: Skylotec</p>	<p>Art No. G-0902 Material: Polyester, Steel Max Hip Size 120 cm Max Leg Size 70 cm Dorsal steel attachment point, Sternal polyester attachment point Stick buckle Application Areas: Emergency, Roofers, Steelwork Max Lifetime: 10 years Standard EN 361:2002 Made in Germany</p>	1,706,000	15	1,450,000
3		<p>Full Body Harness Skylotec ARG 30</p> <p>Brand: Skylotec</p>	<p>Art No. G-0030 Material: Polyester, Steel Max Hip Size 110 cm Max Leg Size 70 cm Dorsal steel attachment point, Sternal steel attachment point Adjusting buckles legs, Adjusting buckles shoulders Stick buckle Application Areas: Mobile Work Platforms, Roofers Max Lifetime: 10 years Standard EN 361:2002 Made in Germany</p>	1,883,000	15	1,600,000


4		<p>Full Body Harness Skylotec G-1130 Ignite Ion</p> <p>Brand: Skylotec</p>	<p>Art No. G-1130 Material: Aluminium, Polyamide, Polyester, Stainless Steel, Steel Max Hip Size 110 cm Max Leg Size 75 cm Dorsal aluminium attachment point, Sternal polyester attachment point Adjusting buckles legs, Adjusting buckles shoulders OktaLock, Stick buckle Harness Features: Fallindicator, Webbing rewind Application Areas: Elevator construction, Facades cleaning, Roofers, Scaffolding, Steelwork Max Lifetime: 10 years Standard EN 361:2002 Made in Germany</p>	2,224,000	15	1,890,000
5		<p>Full Body Harness Skylotec G-1155 FALC</p> <p>Brand: Skylotec</p>	<p>Art No. G-1155 Material: Aluminium, Polyester, Steel Max Hip Size 120 cm Max Leg Size 100 cm Climbing protection steel attachment point, Dorsal steel attachment point, Side steel attachment point, Sternal polyester attachment point Adjusting buckles hips, Adjusting buckles legs, Adjusting buckles shoulders, Adjusting buckles torso Click buckle, Stick buckle Padding: Back Padding Application Areas: Emergency, Mobile Work Platforms, Steelwork, Telco energy, Wind energy Max Lifetime: 10 years Standard EN 358:2018, EN 361:2002 Made in Germany</p>	4,118,000	15	3,500,000
6		<p>Full Body Harness Skylotec G-1133 Ignite Argon</p> <p>Brand: Skylotec</p>	<p>Art No. G-1133 Material: Aluminium, Polyamide, Polyester, Stainless Steel, Steel Max Hip Size 130 cm Max Leg Size 85 cm Dorsal aluminium attachment point, Restraint aluminium attachment point, Side aluminium attachment point, Sit harness aluminium attachment point, Sternal aluminium attachment point Adjusting buckles hips, Adjusting buckles legs, Adjusting buckles shoulders OktaLock, Stick buckle Padding: Back padding, Leg paddings, Removeable shoulder paddings Application Areas: Emergency, Facades cleaning, RBA rigging, Shaft, Wind energy Max Lifetime: 10 years Standard EN 358:2018, EN 361:2002, EN 813:2008 Made in Germany</p>	9,295,000	15	7,900,000
7		<p>BFD Y Flex Double Landyard With Absorber</p> <p>Brand: Skylotec</p>	<p>Art No. L-0209 Material: Polyamide, Polyester, Steel Size: 1,5 meter Weight: 1,99 kg Carabiner on anchoring point side: FS 90 ST Carabiner on belt side: FS 51 ST Max service life: 10 years Standard: AS/NZS 1891.1:2007 Made in Germany</p>	2,000,000	15	1,700,000
8		<p>Skysafe Pro Flex Y 1,8 meter with Absorber</p> <p>Brand: Skylotec</p>	<p>Art No. L-0561-1,8 Material: Aluminium, Polyester, Steel Size: 1,8 meter Weight: 2 kg Fallindicator: Yes Max service life: 10 years Standard: EN 354:2010, EN 355:2002, EN 795:2012, RFU PPE-R/11.063, RFU PPE-R/11.074 Made in Germany</p>	3,530,000	15	3,000,000








9		<p>Skysafe Pro Adjustable Landyard 1,8 meter with Absorber</p> <p>Brand: Skylotec</p>	<p>Art No. L-0642-1,8 Material: Polyamide, Polyester, Steel Size: 1,2 - 1,8 meter Weight: 2,75 kg Fallindicator: No Max service life: 10 years Standard: EN 354:2010,EN 355:2002,EN 795:2012,RFU PPE-R/11.063,RFU PPE-R/11.074 Made in Germany</p>	4,118,000	15	3,500,000
10		<p>Peanut I HSG-021 Single Webbing</p> <p>Brand: Skylotec</p>	<p>Art No. HSG-021-1,8-3 Material: Aluminium, Polyamide, Polyester, Steel Application Areas: Facades cleaning, Mobile Work Platforms, Shaft Min. user weight 5 kg Max user weight vertical 135 kg Weight: 1,94 kg Standards: DIN 19427:2017,EN 360:2002,GS-PS-12:2019,RFU PPE-R/11.060:2018,RFU PPE-R/11.085:2020,RFU PPE-R/11.124:2020 Made in Germany</p>	3,530,000	15	3,000,000
11		<p>Set Lory Pro</p> <p>Brand: Skylotec</p>	<p>Art No. L-0699-2 Material: Aluminium, Polyamide, Steel Length Landyard: 2 meters 1 x Lory PRO 1 x ROPE FOR LORY PRO 1 x DOUBLE O TRI 2.0 1 x POS-Faltschachtel Grösse 3 1 x BA-LORY Standard: ANSI Z359.9-2021,ANSI/ASSP Z359.3-2019,EN 12841-C:2006,EN 15151-1:2012,EN 341-2A:2011,MEETS CSA Z259.11-17 CLASS F Made in Germany</p>	3,530,000	15	3,000,000
12		<p>Holding Rope Ergogrip SK12</p> <p>Brand: Skylotec</p>	<p>Art No. L-0259-2 Material: Aluminium, Polyamide, Steel Length Landyard: 2 meters Maximum Lifetime: 10 years Standard: EN 358:2018 Made in Germany</p>	3,177,000	15	2,700,000
13		<p>Fall Arrester HK Plus HSG-50</p> <p>Brand: Skylotec</p>	<p>Art No. HSG-050-06 Material: Acrylonitrile butadiene styrene, Aluminium, Steel Rope Length 6 meters min user weight 40 kg max user weight horizontal 100 kg max user weight vertical 140 kg Max Lifetime 10 years Standards CNB/P/11.060:2005,EN 360:2002 Made in Germany</p>	7,648,000	15	6,500,000
14		<p>Long Leash Flex Tool Saver</p> <p>Brand: Skylotec</p>	<p>Art No. ACS-0281 Stretchable flex-band for comfortable working Size 733x15x3mm Weight 0,08 kg Optimal for tools up to 4.5 kg Doesn't twist or wear out the cable, even after many uses Made in Germany</p>	412,000	15	350,000
15		<p>Belt Sling Loop 26kN</p> <p>Brand: Skylotec</p>	<p>Different lengths have different colours so that they can be easily distinguished. Is used in the rope access and rescue sector. Load capacity of 26kN Rope access technology and rescues Standards: CEN/TS 16415:2013,EN 354:2010,EN 566:2017,EN 795:2012/B Max Lifetime 10 years Made in Germany</p>	236,000	15	200,000
16		<p>Foot Ascender Stand Up ACS-0305</p> <p>Brand: Skylotec</p>	<p>Art No. ACS-0305 Material: Aluminium, Polyamide Length: 1,7m Max Tensile Strength: 15.00 kN Max Lifetime: 10 years Made in Germany</p>	1,118,000	15	950,000

17		<p>Skylotec Dry Bag M</p> <p>Brand: Skylotec</p>	<p>Art No. ACS-0014-OR-M Weight: 0.74 kg Size: M Volume: 35 L Waterproof, rucksack straps Made in Germany</p>	1,177,000	15	1,000,000
18		<p>Skylotec Get Up Manual Ascender and Rope Clamp</p> <p>Brand: Skylotec</p>	<p>Art No. H-210 Material: Aluminium, Steel Ergonomic design: Perfect grip, left, right or two-handed 2-Carabiner eyelet: No more carabiner chains Opening zipper: greater safety, easier operation Standards: DIN EN 12841-B:2006, DIN EN 567:2013, UIAA 126:2018 Max Lifetime: 30 Years Made in Germany</p>	1,883,000	15	1,600,000
19		<p>SKA Rope Clamp</p> <p>Brand: Skylotec</p>	<p>Art No. L-0058-SK SKA ROPE CLAMP is used as a rescue rope clamp to create an anchor point on the lanyard of an accident victim. In this case, the rope clamp is placed on the lanyard or fall arrester rope of the casualty. Working Load Limit 150 kg Max Lifetime 10 years Made In Germany</p>	2,089,000	15	1,775,000
20		<p>SKYLOTEC INLINE ROLL double roller tandem</p> <p>Brand: Skylotec</p>	<p>Art No. H-093 Hole diameter: 24 mm Main axis breaking load: 25 kN Maximum working load: 2 kN</p>	2,118,000	15	1,800,000
21		<p>Skylotec Sirius Descender</p> <p>Brand: Skylotec</p>	<p>Art No. A-050 Material: Aluminium, Steel Outstanding handling thanks to compact design and intuitive route of the rope Long-lasting and sturdy: 100% metal Auto-locking function Maximum Load: 250 kg Max Lifetime: 30 years Made in Germany</p>	5,295,000	15	4,500,000
22		<p>Descender Milan 2.0 Power</p> <p>Brand: Skylotec</p>	<p>Art No. A-029 Material: Aluminium, Polyamide, Steel Application Areas: Emergency, Steelwork, Telco energy, Wind energy Max Load: 280 kg Panic Function: No Rescue Function: Yes Max Lifetime: 20 years Standards: ANSI Z359.4:2013, DIN EN 1496-A:2017, DIN EN 341-1A:2011, MEETS CSA Z259.2.3-1B:2012</p>	27,059,000	15	23,000,000
23		<p>Actsafes ACX Power Ascender</p> <p>Brand: Skylotec</p>	<p>Art No. POA-001 Material: Aluminium, Nylon, Steel Charging Time: 90 minutes Energy Source: POA-004 power supply, Removeable Battery Max Ascent & Descent Speed: 24m/min Max. Noise Level: 76 dB(A) Remote Control Range: 150 m Water dust resistance: IP 55 Working Load Limit 200kg</p>	211,765,000	15	180,000,000
24		<p>The Beamtac 2.0 Mobile Anchoring Device</p> <p>Brand: Skylotec</p>	<p>Art No. AP-075 Application : Elevator construction, RBA rigging, Roofers Mobile Anchor Point Max Lifetime: 10 years Standards ANSI/ASSE Z359.18-2017, CEN/TS 16415:2017, EN 795/B:2012</p>	6,471,000	15	5,500,000




25		Carabiner Steel D TW H-129 Brand: Skylotec	Art No. H-129 Material: Steel Weight: 260 gr Max Lifetime: 30 years Standards ANSI Z359.12:2009, CSA Z259.12-CL.1:2011, EN 362-B:2004 Made in Germany	295,000	15	250,000
26		Carabiner Double O Twist H-176 TW Brand: Skylotec	Art No. H-176 TW Material: Aluminium Weight: 0,09 kg Locking System Twist Breaking Load Major Axis 24 kN Max Lifetime: 30 years Standards EN 12275-H:2013, EN 362-B:2008 Made in Germany	530,000	15	450,000
27		Double Trilock Aluminium H-173 Brand: Skylotec	Art No. H-173 TRI Material: Aluminium Weight: 0,09 kg Locking System Tri Breaking Load Major Axis 24 kN Max Lifetime 30 years Standards EN 12275-H:2013, EN 362-B:2008 Made in Germany	559,000	15	475,000
28		Carabiner Aluminium Tri Lock H-206 Brand: Skylotec	Art No. H-206 Material: Aluminium Weight: 0,09 kg Locking System Tri-Lock Breaking Load Major Axis 25 kN Max Lifetime 30 years Standards EN 12275-H:2013, EN 362-B:2008 Made in Germany	571,000	15	485,000
29		Mark 8 Rescue Brand: Skylotec	Art No. A-009 Application Areas: Emergency Lifting Function: No Max Abseil Speed: 2 m/s Max Compatible Rope Diameter 13mm Max Lifetime: 30 years Working Load Limit: 40kg Standards: EN 15151-2:2012	471,000	15	400,000
30		High Light Clip Brand: Skylotec	Art No. ACS-0275 The helmet lamp clip, which can be inserted into the front Euroslot on the INCEPTOR GRX range, keeps the HIGH LIGHT headlamp in place without having to use an elasticated strap.	171,000	15	145,000
31		Skylotec Inceptor Highlight ACS-0273 Brand: Skylotec	Art No. ACS-0273 The HIGH LIGHT headlamp for use in combination with the INCEPTOR GRX is fitted with a powerful white LED light which can be dimmed in 3 steps and a red LED light that provides up to 30 Lumen rated higher than IP57 and is a durable companion in any weather equipped with 3xAAA or 1400 mAh Li-Po batteries	871,000	15	740,000

LOTO (Lock Out Tag Out)

1		Aluminium Safety Padlock Brand: Abus Made in Germany	Art No. 77567 Complies with OSHA regulations: Yes Supplied keys: 1 (OSHA Standard) Shackle diameter: 5 mm Shackle height: 38 mm Shackle material: Hardened steel Body material: Aluminium with plastic cover Key systems: Keyed different or keyed alike Padlock labels: "Danger" and "Property of" Color: Red, Yellow, Green, Blue, Black	142,000	15	120,000
---	---	---	---	---------	----	---------

2		<p>Safety Padlock 74/40 Short with Nylon</p> <p>Brand: Abus Made in Germany</p>	<p>Art No. 74/40 Shackle diameter: 65 mm Shackle height: 38 mm Body : 40mm Solid aluminum core with steel shackle for best physical strength Body and shackle insulated against electric shock NANO-PROTECT™ shackle for superior corrosion resistance Compact and lightweight 10 colours: black, blue, brown, green, grey, orange, purple, red, white, yellow</p>	130,000	15	110,000
3		<p>Safety Padlock 74/40 Long Shackle with Nylon</p> <p>Brand: Abus Made in Germany</p>	<p>Art No. 74/40HB75 Shackle diameter: 65 mm Shackle height: 75 mm Body : 40mm Solid aluminum core with steel shackle for best physical strength Body and shackle insulated against electric shock NANO-PROTECT™ shackle for superior corrosion resistance Compact and lightweight 10 colours: black, blue, brown, green, grey, orange, purple, red, white, yellow</p>	177,000	15	150,000
4		<p>Aluminium Lock Out Hasp H-751</p> <p>Brand: Abus Made in Germany</p>	<p>Art No. H-751 Padlock Hole 6 Shackle diameter 9mm Dimension : 112 mm x 40 mm Lock out power switches during maintenance Holds up to 6 padlocks Ideal for lockout applications where more than one safety padlock has to be attached Vinyl coated high tensile steel</p>	118,000	15	100,000
5		<p>Steel Shackle Safety Padlock P38S</p> <p>Brand: Prolockey Made in China</p>	<p>Art No. P38S Body size: 37mm x 45mm x 20mm Lock body: Nylon Lock Shackle: Chrome plated key Retaining Feature: When the shackle is open, the key can't be removed 11 colors available certificates of ISO9001, ISO45001, CE, ATEX, ROHs test reports, etc.</p>	106,000	15	90,000
6		<p>Short Plastic Shackle Safety Padlock P38P</p> <p>Brand: Prolockey Made in China</p>	<p>Art No. P38P Body size: 37mm x 45mm x 20mm Shackle size: 38mm x 20mm x 6mm Lock body: Nylon Lock Shackle: Nylon PA6 key Retaining Feature: When the shackle is open, the key can't be removed 11 colors available certificates of ISO9001, ISO45001, CE, ATEX, ROHs test reports, etc.</p>	130,000	15	110,000
7		<p>Aluminium Lockout Hasp AH11</p> <p>Brand: Prolockey Made in China</p>	<p>Art No. AH11 Material: Aluminium + Nylon PA Dimension 40mm x 106 mm, jaw size 25mm, accept up to 6 padlocks Made from surface treated and spark proof aluminum shackle with red nylon coated body Allow multiple padlocks to be used when isolating one energy source Lock holes:10mm diameter</p>	95,000	15	80,000
8		<p>Adjustable Cable Lockout CB01-4</p> <p>Brand: Prolockey Made in China</p>	<p>Art No. CB01-4 Body size 70mm x 68mm Shackle diameter: 8mm Cable diameter 4mm, length 2 meters Lock body: made of ABS, withstands chemicals. Cable: tough, flexible multi-stranded steel cable, with clear plastic insulation coating. Cable length can be customized. Accepts up to 4 padlocks for multiple lockout application.</p>	224,000	15	190,000

9		<p>Security Label Aluminum Isolation Lockout Hasp LAH11</p> <p>Brand: Prolockey Made in China</p>	<p>Art No. LAH11 Overall size:73mm×178mm Spring type bayonet, more convenient to use. The main body is anodized aluminum, and the inside is made of stainless steel, which is more corrosion-resistant. Multi-manager. Handwritten security label.</p>	206,000	15	175,000
10		<p>Moulded Case Circuit Breaker Lockout CBL02-2</p> <p>Brand: Prolockey Made in China</p>	<p>Art No. CBL02-2 Lock hole: 9mm Max clamping :10.5mm No tools are required for installation Made from engineering plastic strengthened nylon PA. Lock out different types of circuit breakers.</p>	124,000	15	105,000
11		<p>Grip Tight Circuit Breaker Lockout CBL31-S</p> <p>Brand: Prolockey Made in China</p>	<p>Art No. CBL31-S Material: Die-casting aluminum alloy & Nylon PA & metal spray. Max clamping 17.5mm Fit wide or tall breaker toggles typically found on hi-voltage/hi amperage breakers. Adjust to breaker with a simple thumb turn and then close clamping. Handle and lock cover to prevent clamp from being loosened.</p>	142,000	15	120,000
12		<p>B835 Safety Redbox™ incl. wall-bracket</p> <p>Brand: Abus Made in Germany</p>	<p>Art. no. 00298 Dept x Length 94mm x 240mm Wall Bracket 174 x 40 x 20 High level of stability in spite of low weight. Ergonomic and space-saving fold-away handle Inside is exposed to light from all sides for better visibility of contents.</p>	824,000	15	700,000
13		<p>Lock Padlocks Lockout Station LS02</p> <p>Brand: Prolockey Made in China</p>	<p>Art No. LS02 Dimension: 565mm(W)×400mm(H)×65mm(D) Made from engineering plastic PC. It's one piece design, with a cover to lock out. Can accommodate padlocks, hasps, lockout tags etc. There's a lockable combination padlock hole for locking out to limit access to authorized employees.</p>	1,648,000	15	1,400,000
14		<p>Plastic Safety Scaffolding Holder tag SLT01</p> <p>Brand: Prolockey Made in China</p>	<p>Art No. SLT01 Size: 310mm×92mm,Diameter:60mm The plastic scaffold tag holder is made from ABS, tag is made of PVC. Provides system, procedural and legal compliance for scaffolds on work sites. Provides a clear inspection trail giving integrity and control of work carried out. The tags are available in three durable write-on materials, providing highly visual and eye-catching information.</p>	165,000	15	140,000
Flashlight						
1		<p>L10 Pro Outdoor Flashlight 2000 Lumens</p> <p>Brand: Peetpen Made in China</p>	<p>6463 aluminum alloy body Output: High(2000)-Med(300LM)-Low(7LM)-Strobe(2000LM)-SOS(7LM) Max beam distance: 174 meters Battery 18650 Li-ion (1200mAh) Impact resistance: 1 meters Waterproof level: IP6 Size: 116.9mm x31mm Weight: 120g(with battery)</p>	259,000	15	220,000
2		<p>L21 Pocket Flashlight 550 Lumens</p> <p>Brand: Peetpen Made in China</p>	<p>6463 aluminum alloy body Utilizes 1*OSRAM P8 LED Output: High(550LM)-Med(250LM)-Low(30LM)-Strobe(550LM)- SOS(250LM) Max beam distance: 202 meters Battery 18650 Li-ion (1800mAh) Impact resistance: 1 meters Waterproof level: IP64 Weight: 188g(with battery)</p>	271,000	15	230,000

3		<p>L28 Outdoor Flashlight 850 Lumens</p> <p>Brand: Peetpen Made in China</p>	<p>6463 aluminum alloy body Output: High(850LM)-Med(250LM)-Low(30LM)- Strobe(850LM)- SOS(250LM) Max beam distance: 202 meters Battery 18650 Li-ion (1200mAh) Impact resistance: 1 meters Waterproof level: IP64 Size: 134mm x27mm</p>	295,000	15	250,000
4		<p>L45 Zoomable Flashlight 550 Lumens</p> <p>Brand: Peetpen Made in China</p>	<p>6463 aluminum alloy body Utilizes 1*OSRAM P8 LED Output: High(550LM)-Low(55LM)-Strobe(550LM)- SOS(55LM) Max beam distance:249meters Battery 18650 Li-ion (1200mAh) Impact resistance: 1 meters Waterproof level: IP64 Size: 175.7mm x37mm Weight: 237g(with battery)</p>	318,000	15	270,000
5		<p>F5 Camping Lamp 500 Lumens</p> <p>Brand: Peetpen Made in China</p>	<p>Output of 5700K: High(500LM)-Med(140LM)-Low(10LM) Output of 4500K: High(480LM)-Med(130LM)-Low(8LM) Output of 3000K: High(430LM)-Med(120LM)-Low(7LM) Max beam distance: 25 meters Built-in a battery pack of 5200 mAh Max runtime: 190 hours Magnetic body, Tripod hole, Default output selections, Continuous</p>	400,000	15	340,000

Keterangan :

- Harga Belum Termasuk PPN 11%
- Harga bisa berubah sewaktu-waktu, mohon untuk konfirmasi stock dan harga sebelum melakukan order
- Silahkan untuk menghubungi sales kami jika tidak menemukan produk yang anda cari